

Serial No.: 09/186,247

LISTING OF CLAIMS

We claim:

CLAIM AMENDMENTS

Listing of Claims:

We claim:

1. (previously amended) A method for digitally processing integer transform data representing a phenomenon, the method comprising:

performing an inverse transform of said integer transform data to the real domain forming high-precision numbers; and

manipulating said high-precision numbers to produce an effect.

2. (previously amended) A method as recited in claim 1, wherein said step of manipulating results in manipulated high precision numbers, and further comprising converting said manipulated high-precision numbers to integers and clipping the integers to an allowed range forming converted data.

3. (original) A method as recited in claim 1, wherein the phenomenon is an image.

4. (original) A method as recited in claim 1, wherein said effect is the chroma-key merging of two data sets.

5. (original) A method as recited in claim 1, wherein said effect is the color correction of image data.

DOCKET NUMBER: YOR919980331US2

-2/23-

Serial No.: 09/186,247

1 6. (original) A method as recited in claim 3, wherein said effect is a 90 degree rotation of the
2 image.

3 7. (original) A method as recited in claim 1, wherein said high-precision numbers are floating
4 point numbers.

5 8. (original) A method as recited in claim 1, wherein said high-precision numbers are fixed
6 precision numbers including a fractional part.

7 9. (original) A method as recited in claim 1, wherein the step of performing employs an inverse
8 discrete cosine transform.

9 10. (original) A method as recited in claim 1, wherein the step of performing employs an inverse
10 discrete wavelet transform.

11 11. (original) A method as recited in claim 1, wherein the step of performing employs an inverse
12 discrete Fourier transform.

13 12. (withdrawn) A method for digitally processing transform data ~~in the real domain~~
14 representing a phenomenon, the method comprising:

15 performing an inverse transform of said transform data to the real domain forming
16 high-precision numbers; and

17 performing a forward transform of said high-precision numbers.

18 13. (withdrawn) A method as recited in claim 12, wherein the inverse to said forward transform
19 is different from said inverse transform.

DOCKET NUMBER: YOR919980331US2

-3/23-

Serial No.: 09/186,247

1 14. (withdrawn) A method as recited in claim 13, wherein said forward transform is a forward
2 discrete cosine transform and said inverse transform is an inverse discrete wavelet
3 transform.

4 15. (previously amended) A method as recited in claim 1, further comprising implementing an
5 inverse quantization of transform-coded data forming the integer transform data.

6 16. (original) A method as recited in claim 15, further comprising converting said high-precision
7 numbers to integers and clipping the integers to an allowed range forming converted data.

8 17. (original) A method as recited in claim 15, further comprising entropy decoding coded data
9 to form the transform-coded data

10 18. (original) A method as recited in claim 17, wherein said coded data are coded image data.

11 19. (original) A method as recited in claim 17, wherein said coded data are coded video data.

12 20. (original) A method as recited in claim 18, wherein said coded image data are in a JPEG still
13 image international standard format.

14 21. (original) A method as recited in claim 19, wherein said coded video data are in a MPEG
15 motion video international standard format.

16 22. (original) A method as recited in claim 15, wherein the step of performing employs an
17 inverse discrete cosine transform.

18 23. (original) A method as recited in claim 15, wherein the step of performing employs an
19 inverse discrete wavelet transform.

DOCKET NUMBER: YOR919980331US2

-4/23-

Serial No.: 09/186,247

1 24. (original) A method as recited in claim 15, wherein the step of performing employs an
2 inverse discrete Fourier transform.

3 25. (original) A method as recited in claim 15, wherein said high-precision numbers are fixed
4 precision numbers that include a fractional part.

5 26. (withdrawn) A method as recited in claim 12, further comprising manipulating said
6 high-precision numbers to produce an effect.

7 27. (withdrawn) A method for digitally processing transform-coded data representing a
8 phenomenon, the method comprising:

9 performing an inverse quantization of the transform-coded data forming transform data;

10 performing an inverse transform of said transform data to the real domain forming
11 high-precision numbers;

12 performing a forward transform of said high-precision numbers forming forward
13 transformed data; and

14 performing a quantization of said forward transformed data forming quantized data.

15 28. (withdrawn) A method as recited in claim 27, further comprising:

16 entropy decoding coded data forming transform-coded data employing entropy decode;
17 and

18 entropy encoding the quantized data employing entropy encode forming encoded data.

DOCKET NUMBER: YOR919980331US2

-5/23-

Serial No.: 09/186,247

1 29. (withdrawn) A method as recited in claim 27, further comprising manipulating said
2 high-precision numbers to produce an effect.

3 30. (withdrawn) A method as recited in claim 27, further comprising converting said
4 high-precision numbers to integers and clipping to an allowed range forming converted
5 data.

6 31. (withdrawn) A method as recited in claim 29, further comprising alternating manipulating
7 steps with the steps of performing a forward transform, performing a quantization,
8 entropy encoding, entropy decoding, performing an inverse quantization, and performing
9 an inverse transform a desired number of times.

10 32. (withdrawn) A method as recited in claim 31, wherein said coded data are compressed data,
11 and each step of alternating implements a compression/decompression cycle.

12 33. (withdrawn) A system employing the method recited in claim 31, wherein each step of
13 alternating recompresses and decompresses coded data to enable an editing operation.

14 34. (withdrawn) A method as recited in claim 28, wherein said coded data are coded audio data.

15 35. (withdrawn) A method as recited in claim 28, wherein said coded data are coded
16 electromagnetic environment data.

17 36. (withdrawn) A method as recited in claim 28, wherein said coded data are coded video data.

18 37. (withdrawn) A method as recited in claim 28, wherein said coded data is encoded in the
19 JPEG standard format.

20 38. (withdrawn) A system for digitally processing first level transform-coded data in the real
21 domain representing a phenomenon, the system comprising:

DOCKET NUMBER: YOR919980331US2

-6/23-

Serial No.: 09/186,247

- 1 a first inverse quantizer to generate transform data from said transform-coded data;
- 2 a first inverse transformer to produce an inverse transform of said transform data to the
- 3 real domain forming high-precision numbers;
- 4 a first forward transformer for forward transforming said high-precision numbers forming
- 5 forward transformed data; and
- 6 a first quantizer for quantizing said forward transformed data to form quantized data.

7 39. (withdrawn) A system as recited in claim 38, wherein the forward transformer employs a

8 different transform type than a first transform type employed by the inverse transformer.

9 40. (withdrawn) A system as recited in claim 38, wherein said forward transformer produces a

10 forward discrete cosine transform and said inverse transformer produces an inverse

11 discrete wavelet transform.

12 41. (withdrawn) A system as recited in claim 38, further comprising:

13 a manipulator for manipulating the high-precision numbers to produce an effect.

14 42. (withdrawn) A system as recited in claim 38, wherein said inverse quantizer and said

15 quantizer use identical quantization values.

16 43. (withdrawn) A system as recited in claim 41, wherein only a subset of the quantized

17 transform data produced different transform-coded data.

18 44. (withdrawn) A system as recited in claim 38, wherein said inverse quantizer and said

19 quantizer use at least one different quantization value.

DOCKET NUMBER: YOR919980331US2

-7/23-

Serial No.: 09/186,247

1 45. (withdrawn) A system as recited in claim 38, further comprising:

2 an entropy decoder to form the transform-coded data from coded data; and

3 an entropy encoder to encode the quantized data.

4 46. (previously amended) A system for digitally processing integer transform data representing a
5 phenomenon, the system comprising:

6 an inverse transformer to perform an inverse transform of the integer transform data to
7 the real domain using high-precision numbers; and

8 a manipulator to manipulate the high-precision numbers to produce an effect.

9 47. (previously amended) A system as recited in claim 46, wherein said manipulator forms
10 manipulated high precision numbers, and further comprising a converter to convert said
11 manipulated high-precision numbers to integers, and a clipper to clip the integers to an
12 allowed range.

13 48. (previously amended) A system for digitally processing transform-coded data representing a
14 phenomenon, the system comprising:

15 an inverse quantizer to perform an inverse quantization of said transform-coded data to
16 form integer transform data;

17 an inverse transformer to perform an inverse transform of said integer transform data to
18 the real domain forming high-precision numbers; and

19 a manipulator for manipulating the high-precision numbers to produce an effect.

DOCKET NUMBER: YOR919980331US2

-8/23-

Serial No.: 09/186,247

1 49. (original) A system as recited in claim 48, further comprising a converter to convert said
2 high-precision numbers to integers, and a clipper to clip the integers to an allowed range.

3 50. (withdrawn) A system for digitally processing transform data in the real domain representing
4 a phenomenon, the system comprising:

5 an inverse transformer to produce an inverse transform of the transform data to the real
6 domain to form high-precision numbers; and

7 a forward transformer to forward transform the high-precision numbers.

8 51. (withdrawn) A system as recited in claim 50, further comprising:

9 a manipulator to manipulate the high-precision numbers to produce an effect.

10 52. (withdrawn) A system as recited in claim 41, wherein the quantized data forms an other level
11 of transform-coded data and further comprising:

12 another inverse quantizer, another inverse transformer, another manipulator, another
13 forward transformer, and another quantizer to perform together a similar function
14 on the other level of transform-coded data as performed on the first level
15 transform-coded data.

16 53. (withdrawn) A system as recited in claim 52, wherein the effect produced by the first
17 manipulator is a different type of effect from that produced by the other manipulator.

18 54. (withdrawn) A system as recited in claim 52, wherein the functions of the first inverse
19 quantizer, first inverse transformer, first forward transformer, and first quantizer, and the
20 respective functions of said another inverse quantizer, another inverse transformer,

DOCKET NUMBER: YOR919980331US2

-9/23-

Serial No.: 09/186,247

1 another forward transformer, and another quantizer are each performed by a same
2 module.

3 55. (original) A method as recited in claim 2, further comprising providing said converted data
4 for use by an output device.

5 56. (original) A method as recited in claim 55, wherein the output device is a display monitor.

6 57. (original) A method as recited in claim 55, wherein the output device is a raster display
7 monitor.

8 58. (previously amended) A method as recited in claim 1, wherein the integer transform data
9 includes information of a spectral analysis.

10 59. (previously amended) An article of manufacture comprising a computer usable medium
11 having computer readable program code means embodied therein for digitally processing
12 integer transform data representing a phenomenon, the computer readable program code
13 means in said article of manufacture comprising computer readable program code means
14 for causing a computer to effect:

15 performing an inverse transform of said integer transform data to the real domain forming
16 high-precision numbers; and

17 manipulating said high-precision numbers to produce an effect.

18 60. (original) An article of manufacture as recited in claim 59, the computer readable program
19 code means in said article of manufacture further comprising computer readable program
20 code means for causing a computer to effect converting said high-precision numbers to
21 integers and clipping the integers to an allowed range forming converted data.

DOCKET NUMBER: YOR919980331US2

-10/23-

Serial No.: 09/186,247

61. (original) A n article of manufacture as recited in claim 59, wherein the phenomenon is an image.

62. (withdrawn) A computer program product comprising a computer usable medium having computer readable program code means embodied therein for digitally processing transform data in the real domain representing a phenomenon, the computer readable program code means in said computer program product comprising computer readable program code means for causing a computer to effect:

performing an inverse transform of said transform data to the real domain forming high-precision numbers; and

performing a forward transform of said high-precision numbers.

63. (withdrawn) A computer program product as recited in claim 62, wherein the inverse to said forward transform is different from said inverse transform.

64. (withdrawn) A computer program product as recited in claim 62, wherein said forward transform is a forward discrete cosine transform and said inverse transform is an inverse discrete wavelet transform.

65. (previously amended) A program storage device readable by machine, tangibly embodying a program of instructions executable by the machine to perform method steps for digitally processing transform-coded data representing a phenomenon, said method steps comprising:

performing an inverse quantization of said transform-coded data forming integer transform data;

DOCKET NUMBER: YOR919980331US2

-11/23-

Serial No.: 09/186,247

1 performing an inverse transform of said integer transform data to the real domain forming
2 high-precision numbers; and

3 manipulating said high-precision numbers to produce an effect.

4 66. (previously amended) A computer program product as recited in claim 65, wherein the step
5 of manipulating results in manipulated high-precision numbers, the computer readable
6 program code means in said computer program product further comprising converting
7 said manipulated high-precision numbers to integers and clipping the integers to an
8 allowed range forming converted data.

9 67. (withdrawn) A program storage device readable by machine, tangibly embodying a program
10 of instructions executable by the machine to perform method steps for digitally
11 processing transform-coded data representing a phenomenon, said method steps
12 comprising:

13 performing an inverse quantization of the transform-coded data forming transform data;

14 performing an inverse transform of said transform data to the real domain forming
15 high-precision numbers;

16 performing a forward transform of said high-precision numbers forming forward
17 transform data; and

18 performing a quantization of said forward transformed data forming quantized data.

19 68. (withdrawn) A program storage device readable by machine as recited in claim 67, said
20 method steps further comprising manipulating said high-precision numbers to produce an
21 effect.

DOCKET NUMBER: YOR919980331US2

-12/23-

Serial No.: 09/186,247

1 69. (withdrawn) A program storage device readable by machine as recited in claim 67, said
2 method steps further comprising converting said high-precision numbers to integers and
3 clipping to an allowed range forming converted data.

4 70. (withdrawn) A program storage device readable by machine as recited in claim 67, said
5 method steps further comprising:

6 entropy decoding coded data forming transform-coded data employing entropy decode;
7 and

8 entropy encoding the quantized data employing lossless entropy encode forming encoded
9 data.

10 71. (withdrawn) A program storage device readable by machine as recited in claim 70, said
11 method steps further comprising alternating said manipulating steps with said steps of
12 performing a forward transform, performing a quantization, entropy encoding, entropy
13 decoding, performing an inverse quantization, and performing an inverse transform a
14 desired number of times.

15 72. (withdrawn) A program storage device readable by machine as recited in claim 71, wherein
16 said coded data are compressed data, and each step of alternating implements a
17 compression/decompression cycle.

18 73. (withdrawn) A program storage device readable by machine as recited in claim 70, wherein
19 the phenomenon is image data encoded in the JPEG standard format.

20 74. (withdrawn) A method for digitally processing transform data in the real domain
21 representing a phenomenon, the method comprising:

DOCKET NUMBER: YOR919980331US2

-13/23-

Serial No.: 09/186,247

- 1 performing an inverse transform of said transform data to the real domain forming
2 high-precision numbers;
- 3 converting the high-precision numbers to integers which include out of range data; and
4 performing a forward transform of the integers forming forward transformed data.
- 5 75. (withdrawn) A method as recited in claim 74, further comprising manipulating the integers
6 to produce an effect.
- 7 76. (withdrawn) A method as recited in claim 74, further comprising:
- 8 performing an inverse quantization of transform-coded data to form the transform data;
9 and
- 10 performing a quantization of said forward transformed data forming quantized data.
- 11 77. (withdrawn) A method as recited in claim 74, further comprising clipping the integers to an
12 allowed range forming converted data.
- 13 78. (withdrawn) A method as recited in claim 76, further comprising alternating manipulating
14 steps with the steps of performing a forward transform, performing a quantization,
15 performing an inverse quantization, and performing an inverse transform a desired
16 number of times.
- 17 79. (withdrawn) A program storage device readable by machine, tangibly embodying a program
18 of instructions executable by the machine to perform method steps for digitally
19 processing transform data in the real domain representing a phenomenon, said method
20 steps comprising:

DOCKET NUMBER: YOR919980331US2

-14/23-

Serial No.: 09/186,247

- 1 performing an inverse transform of said transform data to the real domain forming
2 high-precision numbers;
- 3 converting the high-precision numbers to integers which include out of range data; and
4 performing a forward transform of the integers forming forward transformed data.
- 5 80. (withdrawn) A program storage device readable by machine, as recited in claim 79, further
6 comprising manipulating the integers to produce an effect.
- 7 81. (withdrawn) A program storage device readable by machine, as recited in claim 79, further
8 comprising performing an inverse quantization of transform-coded data to form the
9 transform data.
- 10 82. (withdrawn) A program storage device readable by machine, as recited in claim 79, further
11 comprising performing a quantization of said forward transformed data forming
12 quantized data.
- 13 83. (withdrawn) A program storage device readable by machine, as recited in claim 79, further
14 comprising clipping the integers to an allowed range forming converted data.
- 15 84. (original) A method as recited in claim 17, wherein said coded data are coded audio data.
- 16 85 (new). A method for digitally processing transform-coded data representing a phenomenon,
17 the method comprising:
- 18 implementing an inverse quantization of the transform-coded data forming transform
19 data;

DOCKET NUMBER: YOR919980331US2

-15/23-

Serial No.: 09/186,247

1 performing an inverse transform of said transform data to the real domain forming
2 high-precision numbers; and

3 manipulating said high-precision numbers to produce an effect.

4 86. (new) A method as recited in claim 85, wherein the step of manipulating results in
5 manipulated high-precision numbers, and further comprising converting said manipulated
6 high-precision numbers to integers and clipping the integers to an allowed range forming
7 converted data.

8 87. (new) A program storage device readable by machine, tangibly embodying a program of
9 instructions executable by the machine to perform method steps for digitally processing
10 transform-coded data representing a phenomenon, said method steps comprising the steps
11 of claim 85.

12 88. (new) A system for digitally processing transform-coded data representing a phenomenon,
13 the system comprising:

14 a first inverse quantizer to generate an inverse quantization of the transform-coded data
15 forming transform data;

16 a first inverse transformer to produce an inverse transform of said transform data to the
17 real domain forming high-precision numbers; and

18 a manipulator for manipulating the high-precision numbers to produce an effect.

19 89. (new) An article of manufacture comprising a computer usable medium having computer
20 readable program code means embodied therein for causing digitally processing of
21 transform-coded data representing a phenomenon, the computer readable program code

DOCKET NUMBER: YOR919980331US2

-16/23-

Serial No.: 09/186,247

1 means in said article of manufacture comprising computer readable program code means
2 for causing a computer to effect the steps of:

3 implementing an inverse quantization of the transform-coded data forming transform
4 data;

5 performing an inverse transform of said transform data to the real domain forming
6 high-precision numbers; and

7 manipulating said high-precision numbers to produce an effect.

8 90. (new) A computer program product comprising a computer usable medium having computer
9 readable program code means embodied therein for causing digital processing of
10 transform-coded data representing a phenomenon, the computer readable program code means in
11 said computer program product comprising computer readable program code means for causing a
12 computer to effect the functions of:

13 a first inverse quantizer to generate an inverse quantization of the transform-coded data
14 forming transform data;

15 a first inverse transformer to produce an inverse transform of said transform data to the
16 real domain forming high-precision numbers; and

17 a manipulator for manipulating the high-precision numbers to produce an effect.

DOCKET NUMBER: YOR919980331US2

-17/23-